



BEVI FLAVORED WATER DISPENSER

Countertop Model

bevi®



OFFICE SIZE



EASE OF USE



VARIETY



VALUE

FEATURES

- ☑ **WATER WITH POP** – Add a variety of both sweetened and unsweetened flavors to your water. Options range from lemon seltzer to organically sweetened blueberry-cucumber water.
- ☑ **ACTIVATED CARBON FILTRATION** – Improve water quality with our filtration system, which removes over 99% of lead and 98% of chlorine from tap water.
- ☑ **AUTOMATED RESTOCKING** – Never place an order for beverages (unless you want to switch up your flavors)! We track when beverages run out or when a filter needs changing, and replace inventory proactively. Our professional servicing team will handle the heavy lifting for you.
- ☑ **LOWER CARBON FOOTPRINT** – Achieve sustainability goals by reducing plastic and energy waste. Our point-of-use system not only makes it easy to reuse bottles, but also entirely eliminates the fuel-intensive transportation of full beverage bottles.

SPECIFICATIONS

- ☑ **DIMENSIONS** - 18"H x 10"W x 10"D
- ☑ **VOLTS** - 120V
- ☑ **WIRE** - Standard 3-prong
- ☑ **WATER LINE** - 3/8" outer diameter
- ☑ **CABINET REQUIREMENT** - 28"H x 34"W x 24"D



BEVI FLAVORED WATER DISPENSER

Countertop Model

bevi®

BEVI FLAVOR OFFERINGS



0 cal, sweetened
** BLACKBERRY LIME



low cal, sweetened
BLUEBERRY CUCUMBER



0 cal, unsweetened
** COCONUT



0 cal, unsweetened
CUCUMBER



0 cal, unsweetened
LEMON



0 cal, unsweetened
LIME MINT



0 cal, sweetened
** LEMON LIME




low cal, sweetened
ORANGE MANGO



0 cal, unsweetened
** PEAR



0 cal, unsweetened
PEACH




0 cal, unsweetened
RASPBERRY



** SPECIAL ORDER: Please allow 2 extra weeks for delivery.

THE COUNTERTOP BEVI



Touchscreen dispense

This is where a user selects their custom drink; still, sparkling, flavored or not.

Refill station

Our machine accepts any container. With our single-nozzle design and LED lighting, filling up is easy and clean.



Water/power supply (within cabinet space)

- Standard 3-prong US 120V electrical outlet, draws less than 9 amps.
- 3/8" outer diameter water line.




Cabinet requirement 28" tall, 34" wide and 24" deep

COMPONENTS


Cabinet Layout Option 1
(Recommended):
Installing Bevi inside a single
two-door cabinet

This is the most ideal
installation scenario,
containing Bevi under-
counter components inside
a single cabinet. However,
the components are modular
and can be stored in different
cabinets if needed.



*components can be separated and spread
across numerous cabinets & space. Ask
your sales representative for more details.

Components are hidden in existing cabinet space




Chiller



Filter



10lb CO2 tank




Flavors

COMPONENT SIZES

Cabinet Layout Option 2:
Installing Bevi across multiple cabinets

If installation within a single two-door cabinet (Option 1) is not possible, Bevi under-counter components can be split amongst multiple cabinets. Please note this layout option requires drilling through cabinets to interconnect components together into a system.



VENTILATION

Cutouts for ventilation
and tube routing

A hole at least 4" in
diameter is required
on top of the counter
in order to route and
connect tubing from the
Bevi Countertop unit.

Two 2" ventilation cutouts
are recommended.
This is to ensure the
drinks are chilled and
carbonated correctly.

